

Munken Print Cream (US)

Our aim with Munken Print Cream was to develop the ultimate book paper by combining the best properties of woodfree and wood-containing paper. Thus we have created a quality with bulk, strength, surface, readability and printability especially for book production. The result is a high quality cream shaded book paper with a feel and stiffness suited to most types of books, for colour or black and white print. Munken Print Cream comes in a wide range of bulks and grammages in sheets and reels, enabling the same quality to be used for both covers and inserts. There is also a white version: Munken Print White.

Munken Print Cream standard products are available as EU Ecolabel, FSC® – The mark of responsible forestry. www.fsc.org. FSC-C020637 and PEFC™ PEFC/05-33-99 certified.



The mark of
responsible forestry



Technical specifications

Certificates/Statements: FSC_C020637, PEFC_053399, EU Ecolabel, ECF, ISO 14001, EMAS, Paper Profile, Safety of Toys, Food contact, Cradle to Cradle Certified®

Munken Print Cream 15

Basis Weight (Text 25x38) Lbs	47.5	54	61	67.5	77.5	101.5	203
--------------------------------------	------	----	----	------	------	-------	-----

Basis Weight (Cover 20x26) Lbs	26	29.5	33.5	37	42.5	55.5	111
---------------------------------------	----	------	------	----	------	------	-----

Caliper	4.1	4.7	5.3	5.9	6.8	8.9	17.7
----------------	-----	-----	-----	-----	-----	-----	------

^B Laminated paper

Munken Print Cream 18

Basis Weight (Text 25x38) Lbs	47.5	54	61	67.5	77.5	101.5
--------------------------------------	------	----	----	------	------	-------

Basis Weight (Cover 20x26) Lbs	26	29.5	33.5	37	42.5	55.5
---------------------------------------	----	------	------	----	------	------

Caliper	5.0	5.7	6.4	7.1	8.1	10.6
----------------	-----	-----	-----	-----	-----	------

^D Not standard production. Min. 10 tonnes and paper machine trim needed.

Munken Print Cream 20

Basis Weight (Text 25x38) Lbs	47.5	54	61	67.5
Basis Weight (Cover 20x26) Lbs	26	29.5	33.5	37
Caliper	5.5	6.3	7.1	7.9

^D Not standard production. Min. 10 tonnes and paper machine trim needed.