

Munken Pure Rough (US)

Extraordinary printing demands extraordinary design paper. The uncoated, extra tactile surface of Munken Pure Rough and its cream white shade enhance attributes of images and give even more of the authentic appeal. Thanks to high bulk you can choose a lower grammage/basis weight and keep thickness/Caliper as well as paper stability for the best final result. Munken Pure Rough has been developed for offset printing, but is suitable for various kinds of printing techniques; flexo, laser, xerography, digital printing, inkjet and for preprint applications. Also available is a bright white, Munken Polar Rough, a natural white version, Munken Lynx Rough and the highwhite Munken Kristall Rough. Munken Pure Rough is available both in sheets and reels.

Munken Pure Rough standard products are available as EU Ecolabel, FSC® – The mark of responsible forestry. www.fsc.org. FSC-C020637, PEFC™ PEFC/05-33-99 certified.



The mark of
responsible forestry



Technical specifications

Basic information:	Optimized for colour printing, Available in sheets, Available in reels
Surface:	Uncoated, Vellum
Shade:	Cream
Printing techniques:	Offset, Flexo, Laser, Inkjet (black/white)
Certificates/Statements:	FSC_C020637, PEFC_053399, EU Ecolabel, The paper is inspected for Nordic Ecolabelled printing , ECF, ISO 14001, EMAS, Paper Profile, Safety of Toys, Food contact, Age resistant (ISO 9706), Woodfree, Cradle to Cradle Certified®

Munken Pure Rough

Grammage (g/m²)	90	100	120	150	170	300 ^B
Basis Weight (Text 25x38) Lbs	61T	67.5T	81T	101.5T		
Basis Weight (Cover 20x26) Lbs					63C	111C
Opacity (%)	90	92	94	96	97	100
Caliper	5.0	5.5	6.6	8.3	9.4	16.5
Brightness (ISO 2470/D65 %)	81	81	81	81	81	81
Smoothness (Tappi, Sheffield units)	250	250	250	250	250	250

^B Laminated paper

Screen recommended 133-150 lpi

Values are targets only and can be subject to changes over time without prior notice. You will find the latest technical information and other technical recommendations about our products at arcticpaper.com