

# Munken Highway Cream

Munken Highway Cream is an uncoated woodfree bulky fine paper – a true multifunctional product with a treated surface developed for black and white text and full colour high-speed inkjet printing, whilst not compromising the high quality printing methods of flexo, offset and dry toner. Munken Highway Cream, with its cream shade, is available in two different bulks, 1.75 and 1.95, and in 80 and 90 g/m<sup>2</sup> in sheets and reels. The main applications are scientific, technical, medical, academic, legal and educational publications and for novels, coffee table books, cookbooks, comics, magazines, brochures, catalogues, direct mail, inserts and coupons.

Munken Highway Cream standard products are available as FSC<sup>®</sup> – The mark of responsible forestry. [www.fsc.org](http://www.fsc.org). FSC-C020637 and PEFC<sup>™</sup> PEFC/05-33-99 certified.



The mark of  
responsible forestry



## Technical specifications

<b>Basic information:</b>	Optimized for colour printing, Optimized for text, Available in sheets, Available in reels
<b>Surface:</b>	Uncoated, Rough
<b>Shade:</b>	Cream
<b>Printing techniques:</b>	Offset, Flexo, Laser, Inkjet
<b>Certificates/Statements:</b>	FSC_C020637, PEFC_053399, ECF, ISO 14001, EMAS, Paper Profile, Age resistant (ISO 9706 Woodfree, Cradle to Cradle Certified <sup>®</sup> )

# Munken Highway Range 17.5

<b>Grammage (g/m<sup>2</sup>)</b>	80	90
<b>Opacity (%)</b>	90	92
<b>Thickness (µm)</b>	140	158
<b>Bulk (thickness/grammage)</b>	1.75	1.75
<b>Whiteness (CIE)</b>	62	62
<b>Roughness (Bendtsen, ml/min)</b>	500	500

Values are targets only and can be subject to changes over time without prior notice. You will find the latest technical information and other technical recommendations about our products at [arcticpaper.com](http://arcticpaper.com)

# Munken Highway Range 19.5

<b>Grammage (g/m<sup>2</sup>)</b>	80	90
<b>Opacity (%)</b>	90	92
<b>Thickness (µm)</b>	156	176
<b>Bulk (thickness/grammage)</b>	1.95	1.95
<b>Whiteness (CIE)</b>	62	62
<b>Roughness (Bendtsen, ml/min)</b>	700	700

Values are targets only and can be subject to changes over time without prior notice. You will find the latest technical information and other technical recommendations about our products at [arcticpaper.com](http://arcticpaper.com)